

List of Rare, Threatened, and Endangered Species of Garrett County

November 2021



Larry Hogan, Governor
Boyd Rutherford, Lt. Governor
Jeannie Haddaway-Riccio, Secretary



Wildlife & Heritage Service

Natural Heritage Program
Tawes State Office Building, E-1
580 Taylor Avenue
Annapolis, MD 21401
410-260-8540
Fax 410-260-8596
dnr.maryland.gov/wildlife

Additional Telephone Contact Information:
Toll free in Maryland: 877-620-8DNR ext. 8540 OR
Individual unit/program toll-free number
Out of state call: 410-260-8540
Text Telephone (TTY) users call via the Maryland Relay

The facilities and services of the Maryland Department of Natural Resources are available to all without regard to race, color, religion, sex, sexual orientation, age, national origin or physical or mental disability. This document is available in alternative format upon request.

ACKNOWLEDGMENTS

The Maryland Department of Natural Resources would like to express sincere appreciation to the many scientists and naturalists who willingly share information and provide their expertise to further our mission of conserving Maryland's natural heritage.

Publication of this list is made possible by taxpayer donations to Maryland's Chesapeake Bay and Endangered Species Fund.

IMPORTANT NOTES

This list is a subset of the main reports:

Maryland Natural Heritage Program. 2021. List of Rare, Threatened, and Endangered Plants of Maryland DNR 03-030321-271 and

Maryland Natural Heritage Program. 2021. Rare, Threatened, and Endangered Plants of Maryland DNR 03-030321-270 and

Maryland Natural Heritage Program. 2021. List of Rare, Threatened, and Endangered Animals of Maryland DNR 03- 111921-291

Please refer to these for important information including grant, history, purpose, governing laws and regulations, understanding state and federal conservation status ranks and legal statuses, and for additional resources.

This list is derived from an extensive data collection effort and numerous field surveys to determine distribution and abundance of plants and animals native to Maryland. Although based on a large volume of information, this list should not be viewed as complete or definitive. While much is known about some species, very little is known about others. The Maryland Natural Heritage Program welcomes additional information or recommendations regarding any of the taxa listed herein.

HOW YOU CAN HELP

You can take an active part in conserving Maryland's rare species by contacting the Wildlife and Heritage Service with the following types of information:

1. Location details should be included (exact mapped location using GPS is preferred, but not required). Online applications such as Google Earth are invaluable but precise, written directions including driving and walking are acceptable.
2. Documentation that includes a photograph, description of the species, identification source, and habitat description should accompany the report.
3. Information on the ecology and or biology of the species including observed and/or identified pollinators should accompany the report.

**Additional information, including a downloadable PDF of our rare plant reporting form can be found at: dnr.maryland.gov/wildlife/Pages/plants_wildlife/rte_reportinginst.aspx

Definitions of qualifiers used in the county distribution of species.

| Distributional Qualifier | Definition |
|--------------------------|--|
| {species} [?] | Record for the county is reported but unverified or may indicate that the record occurs outside of the known range or in atypical habitat. |
| {species} ^h | Record for the county is based upon a historical collection but no extant population is known. |
| {species} ^l | Record for the county is the result of an introduction. |

| SCIENTIFIC NAME | COMMON NAME | STATE RANK | STATE STATUS | FEDERAL STATUS |
|-------------------------------------|-------------------------------|------------|--------------|----------------|
| Animals | | | | |
| <i>Accipiter gentilis</i> | Northern Goshawk | S1B | E* | |
| <i>Accipiter striatus</i> | Sharp-shinned Hawk | S2S3B | | |
| <i>Aegolius acadicus</i> | Northern Saw-whet Owl | S1B | | |
| <i>Aeshna canadensis</i> | Canada Darner | S2 | | |
| <i>Aeshna tuberculifera</i> | Black-tipped Darner | S2 | | |
| <i>Aeshna verticalis</i> | Green-striped Darner | S2 | | |
| <i>Amblyscirtes hegon</i> | Pepper and Salt Skipper | S2 | I | |
| <i>Aneides aeneus</i> | Green Salamander | S1 | E | |
| <i>Apalone spinifera</i> | Eastern Spiny Softshell | S1 | I | |
| <i>Arrhopalites sp. 1</i> | Crabtree Cave Springtail | SU | | |
| <i>Bartramia longicauda</i> | Upland Sandpiper | S1B | E | |
| <i>Bombus terricola</i> | Yellow-banded Bumble Bee | S1 | | |
| <i>Boyeria grafiana</i> | Ocellated Darner | S1 | | |
| <i>Caecidotea alleghenyensis</i> | Allegheny Spring Isopod | S1 | E | |
| <i>Caecidotea franzi</i> | Franz's Cave Isopod | S1 | E | |
| <i>Caecidotea nordeni</i> | Norden's Groundwater Isopod | SH | X | |
| <i>Callophrys irus</i> | Frosted Elfin | S1 | E | |
| <i>Calopteryx amata</i> | Superb Jewelwing | S1S2 | T | |
| <i>Catostomus catostomus</i> | Longnose Sucker | SX | X | |
| <i>Centronyx henslowii</i> | Henslow's Sparrow | S2B | I | |
| <i>Chlosyne harrisii</i> | Harris's Checkerspot | S2 | T | |
| <i>Cicindela patruela</i> | Northern Barrens Tiger Beetle | S1 | E | |
| <i>Circus hudsonius</i> | Northern Harrier | S2B | I | |
| <i>Cistothorus platensis</i> | Sedge Wren | S1B | E | |
| <i>Clinostomus elongatus</i> | Redside Dace | SX | | |
| <i>Colias interior</i> | Pink-edged Sulphur | SH | | |
| <i>Contopus cooperi</i> | Olive-sided Flycatcher | SHB | X | |
| <i>Cordulegaster erronea</i> | Tiger Spiketail | S3 | | |
| <i>Cordulegaster obliqua</i> | Arrowhead Spiketail | S2 | | |
| <i>Cryptobranchus alleganiensis</i> | Eastern Hellbender | S1 | E | |
| <i>Dactylocythere scotos</i> | An Entocytherid Ostracod | S1 | | |
| <i>Discus catskillensis</i> | Angular Disc Snail | S1 | | |
| <i>Empidonax alnorum</i> | Alder Flycatcher | S2B | I | |
| <i>Enallagma annexum</i> | Northern Bluet | S1 | | |
| <i>Enallagma antennatum</i> | Rainbow Bluet | S1 | | |
| <i>Erethizon dorsatum</i> | North American Porcupine | S3S4 | | |
| <i>Erora laeta</i> | Early Hairstreak | S1 | E | |
| <i>Euchloe olympia</i> | Olympia Marble | S2 | I | |
| <i>Euphydryas phaeton</i> | Baltimore Checkerspot | S2 | | |
| <i>Euphyes bimacula</i> | Two-spotted Skipper | S1 | E | |
| <i>Fontigens bottimeri</i> | Appalachian Springsnail | S2 | I | |
| <i>Geothlypis philadelphia</i> | Mourning Warbler | S1B | E | |
| <i>Haliaeetus leucocephalus</i> | Bald Eagle | S3S4 | | |

| SCIENTIFIC NAME | COMMON NAME | STATE RANK | STATE STATUS | FEDERAL STATUS |
|--|-----------------------------|------------|--------------|----------------|
| <i>Ixobrychus exilis</i> | Least Bittern | S2S3B | I | |
| <i>Junco hyemalis</i> | Dark-eyed Junco | S3B | | |
| <i>Ladona julia</i> | Chalk-fronted Skimmer | S3 | | |
| <i>Lanthus parvulus</i> | Northern Pygmy Clubtail | S2 | | |
| <i>Lanthus vernalis</i> | Southern Pygmy Clubtail | S2 | | |
| <i>Leiothlypis ruficapilla</i> | Nashville Warbler | S1B | T | |
| <i>Lepus americanus</i> | Snowshoe Hare | SH | X | |
| <i>Leucorrhinia glacialis</i> | Crimson-ringed Whiteface | S1 | | |
| <i>Leucorrhinia hudsonica</i> | Hudsonian Whiteface | S1 | | |
| <i>Lophodytes cucullatus</i> | Hooded Merganser | S3B | | |
| <i>Lycaena epixanthe</i> | Bog Copper | S1 | E | |
| <i>Melanapamea mixta</i> | Coastal Plain Apamea Moth | S1 | | |
| <i>Microtus chrotorrhinus carolinensis</i> | Southern Rock Vole | S1 | E | |
| <i>Mustela nivalis</i> | Least Weasel | S2S3 | I | |
| <i>Myotis leibii</i> | Eastern Small-footed Myotis | S1 | E | |
| <i>Myotis lucifugus</i> | Little Brown Bat | S1 | | |
| <i>Myotis septentrionalis</i> | Northern Long-eared Bat | S1 | T | LT |
| <i>Myotis sodalis</i> | Indiana Bat | S1 | E | LE |
| <i>Necturus maculosus</i> | Common Mudpuppy | SX | X | |
| <i>Neotoma magister</i> | Allegheny Woodrat | S1 | E | |
| <i>Noturus flavus</i> | Stonecat | S1 | E | |
| <i>Nymphalis vaualbum</i> | Compton Tortoiseshell | SU | | |
| <i>Paraplanaria dactyligera</i> | A Planarian | S2 | | |
| <i>Pararhinichthys bowersi</i> | Cheat Minnow | SX | X | |
| <i>Perimyotis subflavus</i> | Tricolored Bat | S1 | | |
| <i>Peucaea aestivalis</i> | Bachman's Sparrow | SHB | X | |
| <i>Pieris virginienensis</i> | West Virginia White | S1S2 | | |
| <i>Plestiodon anthracinus</i> | Northern Coal Skink | S1 | E | |
| <i>Plethodon wehrlei</i> | Wehrle's Salamander | S2 | I | |
| <i>Porzana carolina</i> | Sora | S2B | | |
| <i>Procotyla typhlops</i> | A Planarian | S1 | E | |
| <i>Pseudacris brachyphona</i> | Mountain Chorus Frog | SH | E | |
| <i>Pseudanophthalmus</i> sp. 15 | Maryland Cave Beetle | S1 | | |
| <i>Regulus satrapa</i> | Golden-crowned Kinglet | S3B | | |
| <i>Rhionaeschna mutata</i> | Spatterdock Darner | S1 | E | |
| <i>Setophaga fusca</i> | Blackburnian Warbler | S3B | | |
| <i>Sitta canadensis</i> | Red-breasted Nuthatch | S3B | | |
| <i>Somatochlora elongata</i> | Ski-tailed Emerald | S2 | | |
| <i>Sorex dispar</i> | Long-tailed Shrew | S2 | I | |
| <i>Sorex fumeus</i> | Smoky Shrew | S2S3 | I | |
| <i>Sorex palustris punctulatus</i> | Southern Water Shrew | S1 | E | |
| <i>Speyeria atlantis</i> | Atlantis Fritillary | S1 | T | |
| <i>Sphyrapicus varius</i> | Yellow-bellied Sapsucker | S1B | | |

| SCIENTIFIC NAME | COMMON NAME | STATE RANK | STATE STATUS | FEDERAL STATUS |
|-------------------------------------|--------------------------|------------|--------------|----------------|
| <i>Spilogale putorius</i> | Eastern Spotted Skunk | S1 | | |
| <i>Stenogomphurus rogersi</i> | Sable Clubtail | S2 | I | |
| <i>Strophitus undulatus</i> | Creeper | S2S3 | I | |
| <i>Stygobromus allegheniensis</i> | Allegheny Cave Amphipod | S2S3 | I | |
| <i>Stygobromus emarginatus</i> | Greenbrier Cave Amphipod | S1 | E | |
| <i>Stygobromus franzi</i> | Franz's Cave Amphipod | S2S3 | I | |
| <i>Stygobromus sp. 5</i> | Barrelville Amphipod | S1 | | |
| <i>Stylurus scudderi</i> | Zebra Clubtail | S1 | | |
| <i>Sylvilagus obscurus</i> | Appalachian Cottontail | S1 | I | |
| <i>Thryomanes bewickii bewickii</i> | Bewick's Wren | SXB | X | |
| <i>Triodopsis picea</i> | Spruce Knob Threetooth | S1 | | |
| <i>Troglodytes hiemalis</i> | Winter Wren | S2B | | |
| <i>Ursus americanus</i> | American Black Bear | S3S4 | | |
| <i>Virginia valeriae pulchra</i> | Mountain Earthsnake | S1S2 | E | |
| <i>Webbhelix multilineata</i> | Striped Whitelip | S1 | | |

Plants

| | | | | |
|---|------------------------------|------|---|--|
| <i>Abies balsamea</i> | Balsam Fir | S1 | | |
| <i>Aconitum uncinatum</i> | Blue Monkshood | S1 | E | |
| <i>Actaea podocarpa</i> | American Bugbane | S2 | | |
| <i>Adlumia fungosa</i> | Climbing Fumitory | S2 | T | |
| <i>Amelanchier sanguinea</i> | Roundleaf Shadbush | S1 | E | |
| <i>Amianthium muscitoxicum</i> ^h | Fly-poison | S2 | | |
| <i>Anaphalis margaritacea</i> | Pearly Everlasting | S3 | | |
| <i>Angelica atropurpurea</i> ^h | Great Angelica | SH | X | |
| <i>Angelica triquinata</i> | Filmy Angelica | S1 | E | |
| <i>Arabis patens</i> | Spreading Rockcress | S3 | | |
| <i>Aralia hispida</i> | Bristly Sarsaparilla | S1 | E | |
| <i>Aralia racemosa</i> | American Spikenard | S2S4 | | |
| <i>Aronia x prunifolia</i> | Purple Chokeberry | S3 | | |
| <i>Asclepias purpurascens</i> | Purple Milkweed | S2 | | |
| <i>Asplenium ruta-muraria</i> | Wallrue Spleenwort | S3 | | |
| <i>Astragalus canadensis</i> | Canadian Milkvetch | S1 | E | |
| <i>Aureolaria flava</i> | Smooth Yellow False Foxglove | S3 | | |
| <i>Aureolaria laevigata</i> | Downy Yellow Foxglove | S3 | | |
| <i>Bartonia paniculata</i> | Twining Screwstem | S3 | | |
| <i>Blephilia ciliata</i> ^h | Downy Woodmint | S3S4 | | |
| <i>Blephilia hirsuta</i> ^h | Hairy Woodmint | S1S2 | | |
| <i>Botrychium lanceolatum var. angustisegmentum</i> | Lanceleaf Grapefern | S1 | X | |
| <i>Botrychium matricariifolium</i> | Chamomile Grapefern | S1? | | |
| <i>Bromus ciliatus</i> ^h | Fringed Brome | SH | | |
| <i>Bromus kalmii</i> ^h | Wild Chess | SH | X | |
| <i>Bromus nottowayanus</i> | Nottoway Brome | S3S4 | | |

| SCIENTIFIC NAME | COMMON NAME | STATE RANK | STATE STATUS | FEDERAL STATUS |
|--|---------------------------|------------|--------------|----------------|
| <i>Calla palustris</i> | Wild Calla | S1 | E | |
| <i>Calystegia spithamea</i> ssp. <i>spithamea</i> ^h | Low Bindweed | S2 | | |
| <i>Campanula divaricata</i> ^h | Southern Harebell | SH | X | |
| <i>Capnoides sempervirens</i> | Pale Corydalis | S3 | | |
| <i>Cardamine rotundifolia</i> | American Bittercress | S3 | | |
| <i>Carex aestivalis</i> | Summer Sedge | S1 | E | |
| <i>Carex albursina</i> | White Bear Sedge | S3 | | |
| <i>Carex appalachica</i> | Appalachian Sedge | S1? | | |
| <i>Carex argyrantha</i> | Hay Sedge | S3 | | |
| <i>Carex brunnescens</i> | Brownish Sedge | S3 | | |
| <i>Carex buxbaumii</i> | Buxbaum's Sedge | S2 | T | |
| <i>Carex careyana</i> | Carey's Sedge | S1 | E | |
| <i>Carex conoidea</i> | Field Sedge | S1 | E | |
| <i>Carex diandra</i> | Lesser Panicked Sedge | S1 | E | |
| <i>Carex echinata</i> | Prickly Sedge | S3 | | |
| <i>Carex fraseriana</i> | Fraser's Sedge | S1 | E | |
| <i>Carex haydenii</i> | Cloud Sedge | S1 | E | |
| <i>Carex hirtifolia</i> | Pubescent Sedge | S3 | | |
| <i>Carex lacustris</i> | Lake-bank Sedge | S2 | | |
| <i>Carex lasiocarpa</i> | Slender Sedge | S1 | E | |
| <i>Carex laxiculmis</i> var. <i>copulata</i> | Coupled Sedge | S1? | | |
| <i>Carex michauxiana</i> ^h | Michaux's Sedge | SH | | |
| <i>Carex pedunculata</i> | Long-stalked Sedge | S1 | E | |
| <i>Carex pellita</i> | Wooly Sedge | S2? | | |
| <i>Carex plantaginea</i> | Plantain-leaved Sedge | S1? | | |
| <i>Carex projecta</i> | Necklace Sedge | S2 | | |
| <i>Carex sparganioides</i> | Bur-reed Sedge | S3 | | |
| <i>Carex tuckermanii</i> | Tuckerman's Sedge | S1 | E | |
| <i>Carex vesicaria</i> | Inflated Sedge | S1 | T | |
| <i>Castanea dentata</i> | American Chestnut | S2S3 | | |
| <i>Castilleja coccinea</i> | Scarlet Indian-paintbrush | S1 | E | |
| <i>Ceratophyllum echinatum</i> | Prickly Hornwort | S2? | | |
| <i>Chamaelirium luteum</i> | Devil's-bit | S2 | | |
| <i>Chenopodium simplex</i> | Giant-seed Goosefoot | S2 | E | |
| <i>Chenopodium standleyanum</i> | Standley's Goosefoot | S2S3 | | |
| <i>Chrysogonum virginianum</i> | Green-and-gold | S3 | | |
| <i>Cinna latifolia</i> | Slender Wood Reedgrass | S3 | | |
| <i>Cirsium muticum</i> | Swamp Thistle | S3 | | |
| <i>Claytonia caroliniana</i> | Carolina Springbeauty | S3 | | |
| <i>Clematis occidentalis</i> | Purple Clematis | S1 | E | |
| <i>Clematis viorna</i> | Vase-vine Leatherflower | S3 | | |
| <i>Clintonia alleghaniensis</i> | Harned's Clintonia | S1 | | |
| <i>Clintonia borealis</i> | Clinton Lily | S2 | T | |

| SCIENTIFIC NAME | COMMON NAME | STATE RANK | STATE STATUS | FEDERAL STATUS |
|--|-----------------------------|------------|--------------|----------------|
| <i>Coptis trifolia</i> | Goldthread | S1 | E | |
| <i>Corallorhiza trifida</i> | Early Coralroot | S1 | E | |
| <i>Cornus canadensis</i> | Dwarf Dogwood | S1 | E | |
| <i>Cornus rugosa</i> | Roundleaf Dogwood | S1 | E | |
| <i>Corylus cornuta</i> | Beaked Hazelnut | S3 | | |
| <i>Cuscuta coryli</i> ^h | Hazel Dodder | S1 | | |
| <i>Cuscuta rostrata</i> | Beaked Dodder | S1 | E | |
| <i>Cypripedium parviflorum</i> var. <i>pubescens</i> | Large Yellow Lady's-slipper | S3 | | |
| <i>Cypripedium reginae</i> ^h | Showy Lady's-slipper | SH | X | |
| <i>Dactylorhiza viridis</i> | Long-bract Green Orchis | S1 | E | |
| <i>Dicentra eximia</i> | Wild Bleedinghearts | S2 | T | |
| <i>Diphasiastrum tristachyum</i> | Deep-root Clubmoss | S3 | | |
| <i>Dirca palustris</i> | Eastern Leatherwood | S2 | T | |
| <i>Doellingeria infirma</i> | Cornel-leaf Aster | S3 | | |
| <i>Drosera rotundifolia</i> | Roundleaf Sundew | S3 | | |
| <i>Dryopteris campyloptera</i> | Mountain Woodfern | S1 | E | |
| <i>Dryopteris goldiana</i> | Goldie's Fern | S2 | | |
| <i>Elatine americana</i> | American Waterwort | SU | | |
| <i>Elatine minima</i> | Small Waterwort | S1? | | |
| <i>Epilobium ciliatum</i> | Hairy Willowherb | S3S4 | | |
| <i>Epilobium leptophyllum</i> | Linear-leaf Willowherb | S2S3 | | |
| <i>Epilobium strictum</i> | Downy Willowherb | S1 | E | |
| <i>Equisetum sylvaticum</i> | Woodland Horsetail | S1 | E | |
| <i>Erigeron pulchellus</i> var. <i>brauniae</i> | Braun's Robin's-plantain | S1 | | |
| <i>Eriophorum gracile</i> | Slender Cottongrass | S1 | E | |
| <i>Eriophorum virginicum</i> | Tawny Cottongrass | S3 | | |
| <i>Eurybia radula</i> | Rough Wood Aster | S1 | E | |
| <i>Eutrochium maculatum</i> ^h | Spotted Joe-pye Weed | SU | X | |
| <i>Fallopia cilinodis</i> | Fringed Black-bindweed | S3 | | |
| <i>Festuca paradoxa</i> [?] | Cluster Fescue | S1? | | |
| <i>Fraxinus nigra</i> | Black Ash | S3 | | |
| <i>Galium boreale</i> ^h | Northern Bedstraw | S1 | E | |
| <i>Gaultheria hispidula</i> | Creeping Snowberry | S1 | E | |
| <i>Gentiana andrewsii</i> ^h | Fringe-top Bottle Gentian | S2 | T | |
| <i>Gentiana linearis</i> | Narrowleaf Gentian | S3 | | |
| <i>Gentiana puberulenta</i> ^h | Downy Gentian | SH | X | |
| <i>Gentianella quinquefolia</i> | Stiff Gentian | S1 | E | |
| <i>Gentianopsis crinita</i> ^h | Fringed Gentian | S1 | E | |
| <i>Geum aleppicum</i> | Yellow Avens | S1 | E | |
| <i>Geum laciniatum</i> | Rough Avens | S3 | | |
| <i>Geum rivale</i> ^h | Purple Avens | SH | | |
| <i>Glyceria grandis</i> | American Mannagrass | S1 | E | |
| <i>Goodyera repens</i> ^h | Dwarf Rattlesnake-plantain | SH | X | |

| SCIENTIFIC NAME | COMMON NAME | STATE RANK | STATE STATUS | FEDERAL STATUS |
|--|--------------------------------|------------|--------------|----------------|
| <i>Gymnocarpium dryopteris</i> | Northern Oak Fern | S1 | E | |
| <i>Heracleum maximum</i> | Cow-parsnip | S3 | | |
| <i>Heuchera pubescens</i> | Downy Alumroot | S3 | | |
| <i>Homalosorus pycnocarpos</i> | Glade Fern | S2 | T | |
| <i>Houstonia serpyllifolia</i> | Michaux's Bluet | S3 | | |
| <i>Huperzia porophila</i> ^h | Rock Clubmoss | SX | | |
| <i>Hydrastis canadensis</i> | Golden-seal | S2 | T | |
| <i>Hypericum adpressum</i> ^h | Creeping St. John's-wort | S1 | E | |
| <i>Hypericum ellipticum</i> | Pale St. John's-wort | SU | | |
| <i>Ilex mucronata</i> | Mountain Holly | S3 | | |
| <i>Isotrema macrophyllum</i> | Pipevine | S2 | T | |
| <i>Juglans cinerea</i> | Butternut | S2S3 | | |
| <i>Juncus articulatus</i> | Jointed Rush | S1 | | |
| <i>Juncus brevicaudatus</i> | Narrow-panicle Rush | S2 | | |
| <i>Larix laricina</i> | American Larch | S1 | E | |
| <i>Ligusticum canadense</i> ^h | American Lovage | SH | X | |
| <i>Lilium philadelphicum</i> ^h | Wood Lily | SH | X | |
| <i>Liparis liliifolia</i> | Large Twayblade | S3 | | |
| <i>Liparis loeselii</i> | Loesel's Twayblade | S1S2 | | |
| <i>Listera cordata</i> ^h | Heartleaf Twayblade | SH | X | |
| <i>Listera smallii</i> | Kidneyleaf Twayblade | S1 | E | |
| <i>Lonicera canadensis</i> | American Fly Honeysuckle | S1 | E | |
| <i>Lupinus perennis</i> ^h | Sundial Lupine | S2 | T | |
| <i>Lycopodiella inundata</i> | Bog Clubmoss | S2 | | |
| <i>Lythrum alatum</i> | Winged Loosestrife | S1 | E | |
| <i>Magnolia tripetala</i> | Umbrella Magnolia | S3 | | |
| <i>Malaxis unifolia</i> | Green Adder's-mouth Orchid | S2 | | |
| <i>Malus angustifolia</i> | Southern Crabapple | S3 | | |
| <i>Matteuccia struthiopteris</i> | Ostrich Fern | S2S3 | | |
| <i>Melica nitens</i> | Three-flower Melicgrass | S2 | T | |
| <i>Menyanthes trifoliata</i> | Bog Buckbean | S1 | E | |
| <i>Micranthes micranthidifolia</i> | Lettuceleaf Saxifrage | S3 | | |
| <i>Moehringia lateriflora</i> | Grove Sandwort | S1 | E | |
| <i>Monarda clinopodia</i> | Basil Beebalm | S3S4 | | |
| <i>Monarda media</i> ^h | Purple Bergamot | SH | | |
| <i>Muhlenbergia glomerata</i> ^h | Marsh Muhly | SH | | |
| <i>Muhlenbergia sylvatica</i> | Woodland Muhly | S3 | | |
| <i>Myriophyllum heterophyllum</i> [?] | Broadleaf Water-milfoil | S1 | | |
| <i>Oryzopsis asperifolia</i> | Mountain-ricegrass | S2 | T | |
| <i>Oxydendrum arboreum</i> | Sourwood | S1 | E | |
| <i>Panax quinquefolius</i> | American Ginseng | S2S3 | | |
| <i>Panicum philadelphicum</i> ^h | Philadelphia Panicgrass | SU | | |
| <i>Patis racemosa</i> | Black-fruit Mountain-ricegrass | S2S3 | | |
| <i>Pedicularis lanceolata</i> | Swamp Lousewort | S1 | E | |

| SCIENTIFIC NAME | COMMON NAME | STATE RANK | STATE STATUS | FEDERAL STATUS |
|--|-------------------------------|------------|--------------|----------------|
| <i>Phacelia purshii</i> | Miami-mist | S3 | | |
| <i>Phegopteris connectilis</i> | Northern Beechfern | S2 | | |
| <i>Picea rubens</i> | Red Spruce | S3 | | |
| <i>Platanthera ciliaris</i> ^h | Yellow Fringed Orchid | S2 | T | |
| <i>Platanthera flava</i> | Pale Green Orchid | S2S3 | | |
| <i>Platanthera grandiflora</i> | Large Purple Fringed Orchid | S2 | T | |
| <i>Platanthera peramoena</i> | Purple Fringeless Orchid | S1S2 | T | |
| <i>Platanthera psycodes</i> ^h | Small Purple Fringed Orchid | S1 | X (PE) | |
| <i>Poa palustris</i> | Fowl Bluegrass | S1 | | |
| <i>Poa saltuensis</i> | Drooping Bluegrass | S1 | E | |
| <i>Podostemum ceratophyllum</i> | Threadfoot | S3 | | |
| <i>Pogonia ophioglossoides</i> | Rose Pogonia | S3 | | |
| <i>Polemonium vanbruntiae</i> | Bog Jacob's Ladder | S2 | T | |
| <i>Polygala senega</i> | Seneca Snakeroot | S2 | T | |
| <i>Potamogeton amplifolius</i> | Large-leaved Pondweed | S1S2 | | |
| <i>Potamogeton pusillus</i> | Slender Pondweed | S2S4 | | |
| <i>Pycnanthemum verticillatum</i> ^h | Whorled Mountainmint | S2 | T | |
| <i>Pycnanthemum virginianum</i> | Virginia Mountainmint | S2 | | |
| <i>Ranunculus allegheniensis</i> | Allegheny Mountains Buttercup | S3 | | |
| <i>Ranunculus carolinianus</i> | Carolina Buttercup | S1? | | |
| <i>Ranunculus fascicularis</i> [?] | Early Buttercup | S1 | E | |
| <i>Rhamnus alnifolia</i> | Alderleaf Buckthorn | S1 | | |
| <i>Rhododendron arborescens</i> | Smooth Azalea | S3 | | |
| <i>Ribes cynosbati</i> | Prickly Gooseberry | S3 | | |
| <i>Ribes glandulosum</i> | Skunk Currant | S3 | | |
| <i>Rosa blanda</i> | Smooth Rose | S1 | E | |
| <i>Rudbeckia fulgida</i> | Orange Coneflower | S3 | | |
| <i>Rudbeckia triloba</i> | Brown-eyed Susan | S3 | | |
| <i>Sagittaria engelmanniana</i> | Engelmann's Arrowhead | S2 | T | |
| <i>Sagittaria graminea</i> | Grassleaf Arrowhead | SU | | |
| <i>Salix discolor</i> ^h | Pussy Willow | SH | | |
| <i>Salix exigua</i> [?] | Narrowleaf Willow | S1 | E | |
| <i>Salix lucida</i> ^h | Shining Willow | SH | X | |
| <i>Salix occidentalis</i> [?] | Dwarf Prairie Willow | S2 | | |
| <i>Sanguisorba canadensis</i> | Canada Burnet | S2 | T | |
| <i>Sanicula marilandica</i> | Maryland Black-snakeroot | S3 | | |
| <i>Sarracenia purpurea</i> ¹ | Northern Pitcherplant | S2 | T | |
| <i>Sceptridium oneidense</i> | Blunt-lobe Grapefern | S1 | E | |
| <i>Schizachne purpurascens</i> | Purple Oat | S1 | E | |
| <i>Schoenoplectus torreyi</i> | Torrey's Bulrush | S1 | | |
| <i>Scirpus expansus</i> | Woodland Bulrush | S3 | | |
| <i>Scirpus hattorianus</i> | Mosquito Bulrush | SU | | |
| <i>Scrophularia lanceolata</i> | Hare Figwort | S3 | | |

| SCIENTIFIC NAME | COMMON NAME | STATE RANK | STATE STATUS | FEDERAL STATUS |
|--|-----------------------------------|------------|--------------|----------------|
| <i>Scutellaria galericulata</i> | Hooded Skullcap | S2 | | |
| <i>Scutellaria incana</i> | Hoary Skullcap | S3 | | |
| <i>Scutellaria saxatilis</i> | Rock Skullcap | S1 | E | |
| <i>Scutellaria serrata</i> | Showy Skullcap | S3 | | |
| <i>Sedum glaucophyllum</i> | Cliff Stonecrop | S2 | T | |
| <i>Senecio suaveolens</i> ^h | Sweet-scented Indian-plantain | S1 | E | |
| <i>Solidago arguta</i> var. <i>arguta</i> ^h | Late Goldenrod | S1? | | |
| <i>Solidago rigida</i> ^h | Prairie Goldenrod | S1 | E | |
| <i>Solidago roanensis</i> | Roan Mountain Goldenrod | S3 | E | |
| <i>Solidago rupestris</i> ^h | Rock Goldenrod | S1 | | |
| <i>Solidago uliginosa</i> | Bog Goldenrod | S3 | | |
| <i>Sorbus americana</i> | American Mountain-ash | S3 | | |
| <i>Sparganium emersum</i> | Greenfruit Bur-reed | S3 | | |
| <i>Sparganium eurycarpum</i> | Giant Bur-reed | S3 | | |
| <i>Sphenopholis pensylvanica</i> | Swamp Wedgescale | S2 | T | |
| <i>Spiranthes lucida</i> | Shining Ladies'-tresses | S1 | E | |
| <i>Spiranthes ochroleuca</i> ^h | Yellow Nodding Ladies'-tresses | S1 | E | |
| <i>Stachys eplingii</i> ^h | Epling's Hedge-nettle | S1 | | |
| <i>Streptopus lanceolatus</i> | Rosy Twisted-stalk | S1S2 | T | |
| <i>Symphyotrichum drummondii</i> | Drummond's Aster | S1 | | |
| <i>Symphyotrichum laeve</i> var. <i>concinnum</i> | Smooth Blue Aster | S1? | | |
| <i>Symphyotrichum praealtum</i> | Willow Aster | S1 | | |
| <i>Taxus canadensis</i> | Canada Yew | S2 | T | |
| <i>Thaspium trifoliatum</i> ^h | Purple Meadow Parsnip | S1 | E | |
| <i>Thelypteris simulata</i> | Bog Fern | S2 | T | |
| <i>Torreyochloa pallida</i> var. <i>fernaldii</i> | Fernald's Mannagrass | S1 | | |
| <i>Trautvetteria caroliniensis</i> | Tassel-rue | S3 | | |
| <i>Trillium nivale</i> [?] | Snow Trillium | S1 | E | |
| <i>Triosteum angustifolium</i> ^h | Yellowleaf Tinker's-weed | S1 | E | |
| <i>Utricularia cornuta</i> | Horned Bladderwort | S1 | | |
| <i>Uvularia grandiflora</i> | Large-flower Bellwort | S1 | | |
| <i>Vaccinium macrocarpon</i> | Large Cranberry | S3 | | |
| <i>Vaccinium myrtilloides</i> | Velvetleaf Blueberry | S3 | | |
| <i>Vaccinium oxycoccos</i> | Small Cranberry | S2 | T | |
| <i>Valerianella chenopodiifolia</i> | Goosefoot Corn-salad | S1 | E | |
| <i>Valerianella umbilicata</i> | Navel-shaped Corn-salad | SH | X | |
| <i>Veratrum virginicum</i> ^h | Virginia Bunchflower | S3 | | |
| <i>Viburnum lentago</i> | Nannyberry | S1 | | |
| <i>Viola appalachiensis</i> | Appalachian Blue Violet | S3 | | |
| <i>Viola rostrata</i> | Long-spur Violet | S3 | | |
| <i>Zizia aurea</i> | Golden Alexanders | S3 | | |